

| L Number | Hits | Search Text | DB | Time stamp |
|----------|---------|--|---|------------------|
| 1 | 2 | "6491482" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:21 |
| 2 | 1 | 2000-573707.NRAN. | DERWENT | 2003/11/13 12:23 |
| 3 | 1052702 | tool\$4 or cutter | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:52 |
| 4 | 4371994 | tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:53 |
| 5 | 1877579 | track or path or locus or loci or locii | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:53 |
| 6 | 247995 | (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) same (track or path or locus or loci or locii) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:54 |
| 7 | 34858 | depth near3 (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:56 |
| 8 | 2289 | ((tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) same (track or path or locus or loci or locii)) same (depth near3 (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:56 |
| 9 | 54940 | depth near3 (vary\$4 or vari\$5 or chang\$5 or adjust\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:57 |
| 10 | 5271 | (depth near3 (vary\$4 or vari\$5 or chang\$5 or adjust\$5)) near3 (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:58 |
| 11 | 330 | ((depth near3 (vary\$4 or vari\$5 or chang\$5 or adjust\$5)) near3 (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) same ((tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) same (track or path or locus or loci or locii)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:58 |
| 12 | 570 | ((tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) same (track or path or locus or loci or locii)) same (tangent) same (node or point) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 13:27 |
| 13 | 564 | (((tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) same (track or path or locus or loci or locii)) same (tangent) same (node or point)) not (((depth near3 (vary\$4 or vari\$5 or chang\$5 or adjust\$5)) near3 (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) same ((tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) same (track or path or locus or loci or locii))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 13:27 |

| | | | | |
|----|---------|---|---|------------------|
| 14 | 368 | ((((tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) same (track or path or locus or loci or locii)) same (tangent) same (node or point) not (((depth near3 (vary\$4 or vari\$5 or chang\$5 or adjust\$5)) near3 (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) same ((tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) same (track or path or locus or loci or locii))) and ((track or path or locus or loci or locii) with tangent) jp-10263856-\$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 14:08 |
| 15 | 2 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:14 |
| 17 | 2 | ("5923561").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:24 |
| 18 | 21451 | possible near2 (track or path or locus or loci or locii) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:25 |
| 19 | 1627 | (possible near2 (track or path or locus or loci or locii)) same (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:26 |
| 20 | 708 | (possible near2 (track or path or locus or loci or locii)) with (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:30 |
| 21 | 7 | ((depth near3 (vary\$4 or vari\$5 or chang\$5 or adjust\$5)) near3 (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) and ((possible near2 (track or path or locus or loci or locii)) with (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:32 |
| 22 | 8291577 | control\$4 or determin\$4 or select\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:33 |
| 23 | 197056 | (track or path or locus or loci or locii) near3 (control\$4 or determin\$4 or select\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:35 |
| 24 | 10053 | ((track or path or locus or loci or locii) near3 (control\$4 or determin\$4 or select\$4)) with (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:36 |
| 25 | 10 | (((track or path or locus or loci or locii) near3 (control\$4 or determin\$4 or select\$4)) with (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) with (depth near3 (vary\$4 or vari\$5 or chang\$5 or adjust\$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 16:01 |
| 27 | 1083 | (((track or path or locus or loci or locii) near3 (control\$4 or determin\$4 or select\$4)) with (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) same (velocity or speed) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 16:01 |

| | | | | |
|----|-------|---|---|------------------|
| 26 | 36 | ((track or path or locus or loci or locii) near3 (control\$4 or determin\$4 or select\$4)) with (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) same (tangent) same (node or point) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 15:39 |
| 28 | 7 | ("4618924" "4739488" "5095440" "5175407" "5363308" "5513310" "5583408").PN. | USPAT | 2003/11/13 15:56 |
| 29 | 99 | (((track or path or locus or loci or locii) near3 (control\$4 or determin\$4 or select\$4)) with (tool\$4 or cutter or mill\$4 or machin\$4 or cutting or cuts or cut or endmill\$4)) same (velocity or speed)) same ((velocity or speed) near3 (constant or "same")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 16:02 |
| - | 208 | Hobbs-S\$.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:17 |
| - | 70 | Hobbs-St\$.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:17 |
| - | 36 | Hobbs-Stev\$.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:19 |
| - | 0 | 20020119020.URPN. | USPAT | 2003/11/03 15:18 |
| - | 2 | "20020119020" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:27 |
| - | 1 | 2002-706606.NRAN. | DERWENT | 2003/11/03 15:19 |
| - | 2 | ("4850761").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:33 |
| - | 14 | (("4949270") or ("5246319") or ("4907164") or ("5223777") or ("4521860") or ("5602748") or ("5526272")).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:46 |
| - | 2 | ("5595463").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:47 |
| - | 4 | (("5378091") or ("4621959")).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:48 |
| - | 22 | ((("4850761").PN.) or (((("4949270") or ("5246319") or ("4907164") or ("5223777") or ("4521860") or ("5602748") or ("5526272")).PN.) or ("5595463").PN.) or (((("5378091") or ("4621959")).PN.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:50 |
| - | 35322 | 700/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:51 |

| | | | | |
|--|-------|--|---|------------------|
| | 21905 | 409/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:51 |
| | 56991 | 700/\$.ccls. or 409/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:51 |
| | 490 | ((700/\$.ccls. or 409/\$.ccls.) and ((tool\$4 or cutter) near3 (track or path or locus or loci or locii)) and ((pocket or area or contour) near3 (mill\$4 or machin\$4 or cutting or cuts or cut))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:53 |
| | 5 | (("6389708") or ("20020119020") or ("20030191554")).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 15:55 |
| | 208 | ((700/\$.ccls. or 409/\$.ccls.) and ((tool\$4 or cutter) near3 (track or path or locus or loci or locii)) and ((pocket or area or contour) near3 (mill\$4 or machin\$4 or cutting or cuts or cut))) and depth | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 13:32 |
| | 209 | ((700/\$.ccls. or 409/\$.ccls.) and ((tool\$4 or cutter) near3 (track or path or locus or loci or locii)) and ((pocket or area or contour) near3 (mill\$4 or machin\$4 or cutting or cuts or cut))) and depth | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 13:52 |
| | 4 | ((((700/\$.ccls. or 409/\$.ccls.) and ((tool\$4 or cutter) near3 (track or path or locus or loci or locii)) and ((pocket or area or contour) near3 (mill\$4 or machin\$4 or cutting or cuts or cut))) and depth) and tangent and node | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 13:51 |
| | 491 | ((700/\$.ccls. or 409/\$.ccls.) and ((tool\$4 or cutter) near3 (track or path or locus or loci or locii)) and ((pocket or area or contour) near3 (mill\$4 or machin\$4 or cutting or cuts or cut))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 13:53 |
| | 65 | ((((700/\$.ccls. or 409/\$.ccls.) and ((tool\$4 or cutter) near3 (track or path or locus or loci or locii)) and ((pocket or area or contour) near3 (mill\$4 or machin\$4 or cutting or cuts or cut)))) and tangent | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 13:26 |
| | 28 | ((((700/\$.ccls. or 409/\$.ccls.) and ((tool\$4 or cutter) near3 (track or path or locus or loci or locii)) and ((pocket or area or contour) near3 (mill\$4 or machin\$4 or cutting or cuts or cut)))) and tangent) and (tangent same (track or path or locus or loci or locii)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/13 12:51 |
| | 22 | ("2079717" "2826123" "3127506" "3262368" "3841200" "4028992" "4031809" "4176992" "4460297" "4521860" "4747236" "4905158" "4920838" "4949270" "5080538" "5125775" "5200677" "5368422" "5378091" "5727296" "5733080" "6122824").PN. | USPAT | 2003/11/04 13:57 |
| | 0 | 6491482.URPN. | USPAT | 2003/11/04 13:58 |
| | 7 | "798616" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 14:00 |

| | | | | |
|--|----|---|---|------------------|
| | 4 | "2287962" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 14:00 |
| | 2 | wo-9932949-\$ did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 14:42 |
| | 4 | ("4503493" "4618924" "4706201" "4720796").PN. | USPAT | 2003/11/04 14:06 |
| | 11 | 4951217.URPN. | USPAT | 2003/11/04 14:07 |
| | 6 | ("6600250").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 14:45 |
| | 4 | ("4125057").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 14:50 |
| | 2 | ("20030129036").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/04 16:17 |